

## I. PRODUCT AND COMPANY IDENTIFICATION

Product Name: PRIME HD 30 12/1QT Product Code: PF0230PL PGHD30

**Emergency Phone:** CHEMTREC: +1 (800) 424-9300

International: +01 (703) 527-3887

**Poison Control** (800) 222-1222

**Center:** 

**Company:** Prime Guard

8295 Tournament Dr. Ste 150

Memphis, TN 38125

**Information Phone:** (662) 874-1283 **E-mail:** sds@wd-wpp.com

### II. HAZARDS IDENTIFICATION

Routes of Entry: Skin contact

Target Organs: Skin

Chemical Interactions: No chemical interaction known to affect toxicity.

Conditions Aggravated Personnel with pre-existing skin disorders should avoid contact with this product.

by Exposure:

**Acute Health Effects:** 

**Inhalation Irritation:** Breathing oil mist in concentrations that exceed the TLV and PEL may result in

respiratory discomfort and irritation.

**Skin Contact:** Can cause minor skin irritation, defatting, and dermatitis. May cause skin irritation.

**Skin Absorption:** No absorption hazard in normal industrial use.

**Eye Contact:** No hazard in normal industrial use.

**Ingestion Irritation:** No hazard in normal industrial use. Aspiration of material into the lungs can cause

chemical pneumonitis which can be fatal.

**Chronic Health Effects:** 

Carcinogenicity: Not expected to cause cancer. This product meets the IP-346 criteria of <3% PAH's and

is not considered a carcinogen by the International Agency for Research on Cancer.

**Reproductive** No data available to indicate product or any components present at greater than 0.1%

**Toxicity:** may cause birth defects.

Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is

mutagenic or genotoxic.

HMIS Ratings:NFPA Ratings:Health:1Health:1Fire:1Fire:1Reactivity:0Reactivity:0

PPE: B

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

## III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name%CAS #OSHA Exposure LimitsPetroleum distillates, hydrotreated heavy paraffinic90 - 9964742-54-75 mg/m3Petroleum distillates, solvent dewaxed heavy paraffinic3 - 764742-65-05 mg/m3

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

#### IV. FIRST-AID MEASURES

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual administer

oxygen.

Use eye wash to remove a chemical from the eye. Flush the affected eye for at least **Eyes:** 

fifteen minutes. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Seek medical attention if irritation persists.

Wash with soap and water. Get medical attention if irritation develops or persists. Seek **Skin Contact:** 

medical advice if symptoms persist.

No hazard in normal industrial use. Do not induce vomiting. Seek medical attention if **Ingestion:** 

symptoms develop. Provide medical care provider with this SDS. Induce vomiting as a last measure. Induced vomiting may lead to aspiration of the material into the lungs

potentially causing chemical pneumonitis that may be fatal.

**Notes to Doctor:** Aspiration during swallowing or vomiting may severely damage the lungs. If evacuation

of stomach contents is necessary, use method least likely to cause aspiration.

#### V. FIRE FIGHTING MEASURES

**Flammability Summary:** 

Combustible at elevated temperatures

**Extinguishing Media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water

> or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do not direct a stream of water into

the hot burning liquid.

Fire and/or Explosion

**Hazards:** 

Material may be ignited only if preheated to temperatures above the high flash point, for

example in a fire.

**Fire Fighting Methods** 

and Protection:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

**Hazardous Combustion Products:** 

Carbon monoxide, Smoke

## VI. ACCIDENTAL RELEASE MEASURES

**Personal Precautions** and Equipment: **Methods for Clean-up:** 

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this SDS. Prevent the spread of any spill to minimize harm to human health and the environment if

safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Dispose of according to Federal, State, Local, or Provincial regulations. Used fluid should be disposed of at a recycling center. Remove from water surface by skimming or with suitable absorbents. Do not use dispersants. Avoid runoff into storm

sewers and ditches that lead to waterways. Do not flush to sewer.

#### VII. HANDLING AND STORAGE

**Handling Precautions:** Mildly irritating material. Avoid unnecessary exposure. **Storage Conditions:** Store in a cool dry place. Isolate from incompatible materials.

## VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

No exposure limits exist for the constituents of this product. Use local exhaust **Engineering Controls:** 

ventilation or other engineering controls to minimize exposures and maintain operator

Respiratory Respiratory protection may be required to avoid overexposure when handling this

**Protection:** product. General or local exhaust ventilation is the preferred means of protection. Use a

respirator if general room ventilation is not available or sufficient to eliminate

None required where adequate ventilation is provided. If airborne concentrations are **Respirator Type(s):** 

above the applicable exposure limits, use NIOSH/MSHA approved respiratory

protection.

PRIME HD 30 12/1QT Page 2 of 5

**Eye Protection:** No special requirements under normal industrial use.

**Skin Protection:** Where use can result in skin contact, practice good personal hygiene and wear

impervious gloves. Wash hands and other exposed areas with mild soap and water

before eating, drinking, and when leaving work.

Gloves: Neoprene, Nitrile

**Control Parameters:** 

Chemical Name ACGIH ACGIH IDLH NIOSH
TLV-TWA STEL STEL

Petroleum distillates, hydrotreated heavy paraffinic 5 mg/m3 10 mg/m3 Petroleum distillates, solvent dewaxed heavy paraffinic 5 mg/m3 10 mg/m3

### X. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:LiquidColor:AmberOdor:Mild

**pH:** Not determined

Viscosity (cSt at 92.6

40°C):

**Solubility in Water:** Negligible; 0-1% **Octanol/Water** Not determined

**Partition Coefficient:** 

**Evaporation Rate:** Not determined **Vapor Density:** Not determined

Vapor Pressure: <0.20

**Boiling Point (°C):** Not determined

Freezing Point (°C): -20 Specific Gravity: 0.88 Density: 7.34 Flash Point (°C): 208 Flash Point Method: COC

Upper Flammability Not established

Limit, % in air:

Lower Flammability Not established

Limit, % in air:

### X. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions. Hazardous polymerization will not occur

**Conditions to Avoid:** Temperatures above the high flash point of this combustible material in combination

with sparks, open flames, or other sources of ignition. Moisture (will lead to product

performance degradation).

Materials to Avoid: Strong oxidizing agents

**Hazardous Decomp.** Carbon monoxide, Smoke, Carbon monoxide, sulfur oxides, aldehydes, and other

**Products:** petroleum decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus, calcium, copper, magnesium, sodium, and hydrogen sulfide may

also be present.

**Hazardous** Hazardous polymerization will not occur.

**Polymerization:** 

## XI. TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

**Ingestion:** Although this product has a low order of acute oral toxicity, aspiration of minute

amounts into the lungs during ingestion or vomiting may cause mild to severe

Page 3 of 5

pulmonary injury and possibly death.

**Inhalation:** Harmful! Can cause systemic damage (see "Target Organs").

PRIME HD 30 12/1QT

**Absorption:** No absorption hazard in normal industrial use.

Eyes: This material is estimated to be non-irritating eyes (Draize score <15 [rabbits]).

Skin: This material is likely to be slightly irritating to skin based on animal data.

Sensitization: No data available to indicate product or components may be a skin sensitizer.

**Component Toxicology Data:** 

Chemical Name CAS # LD<sub>50</sub>/LC<sub>50</sub>

Distillates (petroleum), hydrotreated heavy 64742-54-7 Inhalation LC50 Rat 2.18 mg/L 4 h; Oral

LD50 Rat >2000 mg/kg; Dermal LD50 Rabbit

>2000 mg/kg

XII. ECOLOGICAL INFORMATION

Overview: Moderate ecological hazard. This product may be dangerous to plants and/or wildlife.

**Mobility:** This material is expected to have essentially no mobility in soil. It absorbs strongly to

most soil types.

**Persistence:** Biodegradation, adsorption to sediment, and bioconcentration to aquatic organisms

should not be significant.

**Bioconcentration:** Bioconcentration may occur.

**Degradability:** Biodegrades slowly.

Toxicity to Aquatic Invertebrates: CAS # Results

Petroleum distillates, hydrotreated heavy 64742-54-7 48 Hr EC50 Daphnia magna: >1000 mg/L

paraffinic

paraffinic

Petroleum distillates, solvent dewaxed 64742-65-0 48 Hr EC50 Daphnia magna: >1000 mg/L

heavy paraffinic

Toxicity to Fish: CAS # Results

Petroleum distillates, hydrotreated heavy 64742-54-7 96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L

paraffinic

Petroleum distillates, solvent dewaxed 64742-65-0 96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L

heavy paraffinic

XIII. DISPOSAL CONSIDERATIONS

**Disposal of Packaging:** Recycle containers whenever possible.

**Disposal Methods**: Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used

oil.

XIV. TRANSPORTATION INFORMATION

**D.O.T.** Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO).

XV. REGULATORY INFORMATION

**TSCA Status:** All components of this material are on the US TSCA Inventory or are exempt.

**State Restrictions:** Not applicable

WHMIS: Uncontrolled product according to WHMIS classification criteria.

Chemical Name Regulation CAS # % Range

None. CERCLA RQ
None. SARA 313
None. SARA 302-EHS
None. TSCA 12b export

notification

None. CA Prop 65 – Cancer

PRIME HD 30 12/1QT Page 4 of 5

Chemical Name Regulation CAS # % Range

None. CA Prop 65 - Dev. Toxicity None. CA Prop 65 - Reprod -fem None. CA Prop 65 - Reprod -male None. Canadian WHMIS List None. Massachusetts RTK List New Jersey RTK List None. Pennsylvania RTK List None. Minnesota Hazardous None. Substance List

### Consumer Product Safety Improvement Act of 2008 General Conformity Certification:

This product has been evaluated and certified to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

### XVI. ADDITIONAL INFORMATION

**Supersedes:** 9/3/2014 10:05:10 AM **Revision Date:** 9/5/2014 10:22:08 AM

**Disclaimer:** This safety data sheet and the information it contains is offered to you in good faith as accurate.

We have reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing patents. No warranty is made, either expressed or implied.